

WEST Search History for Application 10584013

Creation Date: 2010100113:50

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
(chain\$3 or pipe\$4) with servlets	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((chain\$3 or pipe\$4) with servlets) and web near (pages or server or service)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
address near mask with (message or request or message near dispatch\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(address near mask with (message or request or message near dispatch\$3)) and (composite or aggregat\$3) near (document or pages)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(address near mask with (message or request or message near dispatch\$3)) and web adj server with (document or pages)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(address near mask with (message or request or message near dispatch\$3)) and web adj pages	PGPB, USPT, USOC,	OR	YES		10-01-2010

	EPAB, JPAB, DWPI, TDBD				
(address near mask with (message or request or message near dispatch\$3)) and (web adj pages or html)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
service near (object or handler or class) with (message or request or message near dispatch\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(service near (object or handler or class) with (message or request or message near dispatch\$3)) and (composite or aggregat\$3) near (document or pages)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((determin\$3 or chooss\$3 or find\$3 or select\$3 or appropriate or suitable) near service with (message or request or message near dispatch\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((determin\$3 or chooss\$3 or find\$3 or select\$3 or appropriate or suitable) near service with (message or request or message near dispatch\$3)) and (composite or aggregat\$3) near (document or pages)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((determin\$3 or chooss\$3 or find\$3 or select\$3 or appropriate or suitable) near service	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010

((determin\$3 or chooss\$3 or find\$3 or select\$3 or appropriate or suitable) near service) and (composite or aggregat\$3) near (document or pages)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(security and (transform\$5 or translat\$3 or conver\$4)) with (request or message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or aggregat\$3) near (document or pages)).ab, ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or aggregat\$3) near (document or pages)).ab, ti.) and ((security and (transform\$5 or translat\$3 or conver\$4)) with (request or message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or aggregat\$3) near (document or pages)) and ((security and (transform\$5 or translat\$3 or conver\$4)) with (request or message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(security and (transform\$5 or translat\$3 or conver\$4)) near services with (request or message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(security and (transform\$5 or translat\$3 or conver\$4)) near services	PGPB, USPT, USOC, EPAB,	OR	YES		10-01-2010

	JPAB, DWPI, TDBD				
((security or authenticat\$3 or authoriz\$6)and (transform\$5 or translat\$3 or conver\$4)) near services	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((security or authenticat\$3 or authoriz\$6)and (transform\$5 or translat\$3 or conver\$4)) near services) and (((composite or aggregat\$3) near (document or pages)).ab, ti.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
chain\$3 with services	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(address near mask with (message or request or message near dispatch\$3)) and (jms or java adj messag\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(plural\$5 or multipl\$5 or two or several) near services with message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(address near mask with (message or request or message near dispatch\$3) and web adj server with (document or pages)) and (jms or java adj messag\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
		OR	YES		10-01-2010

(merg\$3 or aggregat\$3 or combin\$6) near (response or reply or result)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(address near mask with (message or request or message near dispatch\$3) and (web adj pages or html)) and (jms or java adj messag\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(service near (object or handler or class) with (message or request or message near dispatch\$3)) and (plural\$5 or multipl\$5 or two or several) near services	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(service near (object or handler or class) with (message or request or message near dispatch\$3)) and (plural\$5 or multipl\$5 or two or several) near2 services	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(address near mask with (message or request or message near dispatch\$3) and web adj server with (document or pages)) and (address near mask with (message or request or message near dispatch\$3) and (web adj pages or html))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((merg\$3 or aggregat\$3 or combin\$6) and (transform\$5 or conver\$4 or translat\$3)) near services	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((determin\$3 or chooss\$3 or find\$3 or select\$3 or appropriate or suitable) near service) and (jms or java adj messag\$3 or messaging)	PGPB, USPT, USOC, EPAB,	OR	YES		10-01-2010

	JPAB, DWPI, TDBD				
((determin\$3 or chooss\$3 or find\$3 or select\$3 or appropriate or suitable) near service and (composite or aggregat\$3) near (document or pages)) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(transm\$4 or send\$3 or transfer\$\$) near message with (another or second or further) near service	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or aggregat\$3) near (document or pages)).ab, ti.) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or aggregat\$3) near (document or pages)).ab, ti. and (security and (transform\$5 or translat\$3 or conver\$4)) with (request or message)) and (jms or java adj messag\$3 or messaging)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
messaging and (jms or java adj messag\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((security and (transform\$5 or translat\$3 or conver\$4)) near services with (request or message)) and (address near mask with (message or request or message near dispatch\$3) and (web adj pages or html))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
		OR	YES		10-01-2010

((security and (transform\$5 or translat\$3 or conver\$4)) near services) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(719/313 719/314 719/315).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(715/744 715/748 715/749 715/751 715/760 715/762).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((715/744 715/748 715/749 715/751 715/760 715/762).ccls.) or ((719/313 719/314 719/315).ccls.) or ((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
chain\$3 near (process\$3 or execut\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(chain\$3 near (process\$3 or execut\$3)) and web near (pages or services)	PGPB, USPT, USOC, EPAB,	OR	YES		10-01-2010

	JPAB, DWPI, TDBD				
(chain\$3 near (process\$3 or execut\$3) and web near (pages or services)) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((merg\$3 or combin\$6 or composite or aggregat\$3) near (document or pages))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((merg\$3 or combin\$6 or composite or aggregat\$3) near (document or pages)) and (chain\$3 near (process\$3 or execut\$3) and web near (pages or services) and @ad<20031223)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((merg\$3 or combin\$6 or composite or aggregat\$3) near (document or pages)) and ((715/744 715/748 715/749 715/751 715/760 715/762),ccls. or (719/313 719/314 719/315),ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219),ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((merg\$3 or composite or aggregat\$3) near (document or pages))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((merg\$3 or composite or aggregat\$3) near (document or pages)) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
		OR	YES		10-01-2010

(((merg\$3 or composite or aggregat\$3) near (document or pages)) and @ad<20031223) and ((715/744 715/748 715/749 715/751 715/760 715/762).ccls. or (719/313 719/314 719/315).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(((merg\$3 or composite or aggregat\$3) near (document or pages)) and @ad<20031223 and (715/744 715/748 715/749 715/751 715/760 715/762).ccls. or (719/313 719/314 719/315).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.) and web near (pages or services)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(first or second or plural\$4 or another) near web near (server)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((first or second or plural\$4 or another) near web near (server)) and ((merg\$3 or composite or aggregat\$3) near (document or pages))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
chain\$3 with http near request	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(message or request) with service near (component or script or modules)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((message or request) with service near (component or script or modules)) and web adj server	PGPB, USPT, USOC, EPAB,	OR	YES		10-01-2010

	JPAB, DWPI, TDBD				
((message or request) with service near (component or script or modules) and web adj server) and ((merg\$3 or composite or aggregat\$3) near (document or pages))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(message or request) near (component or script or modules or handlers) near (plural\$4 or multipl\$6 or more or chain\$3 or group\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((message or request) near (component or script or modules or handlers) near (plural\$4 or multipl\$6 or more or chain\$3 or group\$3)) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((message or request) near (component or script or modules or handlers) near (plural\$4 or multipl\$6 or more or chain\$3 or group\$3) and @ad<20031223) and ((merg\$3 or composite or aggregat\$3) near (document or pages))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(component or script or modules or handlers) near (plural\$4 or multipl\$6 or more or chain\$3 or group\$3) and ((merg\$3 or composite or aggregat\$3) near (document or pages))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((component or script or modules or handlers) near (plural\$4 or multipl\$6 or more or chain\$3 or group\$3) and ((merg\$3 or composite or aggregat\$3) near (document or pages))) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
		OR	YES		10-01-2010

((component or script or modules or handlers) near (plural\$4 or multipl\$6 or more or chain\$3 or group\$3) and ((merg\$3 or composite or aggregat\$3) near (document or pages)) and @ad<20031223) and ((715/744 715/748 715/749 715/751 715/760 715/762).ccls. or (719/313 719/314 719/315).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(component or script or modules or handlers) near (plural\$4 or multipl\$6 or more or chain\$3 or group\$3) with (processing or execut\$3) near (message or request)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((component or script or modules or handlers) near (plural\$4 or multipl\$6 or more or chain\$3 or group\$3) with (processing or execut\$3) near (message or request)) and (web near (service or pages or server))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((component or script or modules or handlers) near (plural\$4 or multipl\$6 or more or chain\$3 or group\$3) with (processing or execut\$3) near (message or request) and (web near (service or pages or server))) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(composite or combined or aggregat\$3 or merg\$3) with (pages or ui or user near interface) with (mandatory or optional)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or combined or aggregat\$3 or merg\$3) with (pages or ui or user near interface) with (mandatory or optional)) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(composite or combined or aggregat\$3 or merg\$3) with (pages) with (mandatory or optional\$3)	PGPB, USPT, USOC,	OR	YES		10-01-2010

	EPAB, JPAB, DWPI, TDBD				
(composite or combined or aggregated\$3 or merged\$3) with (document or pages) with (mandatory or optional\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or combined or aggregated\$3 or merged\$3) with (document or pages) with (mandatory or optional\$3)) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or combined or aggregated\$3 or merged\$3) with (document or pages) with (mandatory or optional\$3) and @ad<20031223) and server and client	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(composite or combined or aggregated\$3 or merged\$3) with (document or pages) near (data or information or content) with (required or mandatory or optional\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or combined or aggregated\$3 or merged\$3) with (document or pages) near (data or information or content) with (required or mandatory or optional\$3)) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(composite or combined or aggregated\$3 or merged\$3) with (document or pages) near (data or information or content) with (user or client or server)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010

((composite or combined or aggregat\$3 or merg\$3) with (document or pages) near (data or information or content) with (user or client or server)) and (document or pages) near (data or information or content) with (required or mandatory or optional\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or combined or aggregat\$3 or merg\$3) with (document or pages) near (data or information or content) with (user or client or server) and (document or pages) near (data or information or content) with (required or mandatory or optional\$3)) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(composite or combined or aggregat\$3 or merg\$3) with (document or pages) with (user or client or server)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or combined or aggregat\$3 or merg\$3) with (document or pages) with (user or client or server)) and (document or pages) near (data or information or content) with (required or mandatory or optional\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or combined or aggregat\$3 or merg\$3) with (document or pages) with (user or client or server) and (document or pages) near (data or information or content) with (required or mandatory or optional\$3)) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((composite or combined or aggregat\$3 or merg\$3) with (document or pages) with (user or client or server) and (document or pages) near (data or information or content) with (required or mandatory or optional\$3) and @ad<20031223) and html	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
'20030014442'.pn.	PGPB	OR	YES		10-01-2010
'20030014442'.pn.	PGPB	OR	YES		10-01-2010
'20030004993'.pn.	PGPB	OR	YES		10-01-2010

'20030004993'.pn.	PGPB	OR	YES		10-01-2010
'20020138516'.pn.	PGPB	OR	YES		10-01-2010
'20020138516'.pn.	PGPB	OR	YES		10-01-2010
'6968331'.pn.	USPT	OR	YES		10-01-2010
'6968331'.pn.	USPT	OR	YES		10-01-2010
'6928610'.pn.	USPT	OR	YES		10-01-2010
'6928610'.pn.	USPT	OR	YES		10-01-2010
'6754885'.pn.	USPT	OR	YES		10-01-2010
'6754885'.pn.	USPT	OR	YES		10-01-2010
'6605120'.pn.	USPT	OR	YES		10-01-2010
'6605120'.pn.	USPT	OR	YES		10-01-2010
'6112242'.pn.	USPT	OR	YES		10-01-2010
'6112242'.pn.	USPT	OR	YES		10-01-2010
((request\$3 or download\$3) with (document or web near pages).ab, ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((request\$3 or download\$3) with (document or web near pages).ab, ti.) and (redundan\$3 or fail\$1save or fail\$1over or backup) with web near server	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
(request\$3 or download\$3) with (document or web near pages and (redundan\$3 or fail\$1save or fail\$1over or backup) with web near server	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		10-01-2010
((request\$3 or download\$3) with (document or web near pages and (redundan\$3 or fail\$1save or fail\$1over or backup) with web near server) and @ad<20031223	PGPB, USPT, USOC, EPAB, JPAB,	OR	YES		10-01-2010

	DWPI, TDBD				
--	---------------	--	--	--	--